




Corpo: ACCIAIO
Mandrino: ACCIAIO



Body: STEEL
Mandrel: STEEL

BR010



Recommended tool

HERO
5.0

d mm.	L mm.	 mm.	 mm.	D mm.	S mm.			Codice Code
24	6	0,5 - 3,5	ø 2,5	ø 5,0	1,0	700	650	BR0102406
	8	3,5 - 5,5						BR0102408
	12	5,5 - 9,5						BR0102412

d mm.	L mm.	 mm.	 mm.	D mm.	S mm.			Codice Code
3,0	5	0,5 - 1,5	ø 3,1	ø 6,3	1,0	1100	950	BR0103005
	6	1,5 - 3,0						BR0103006
	8	3,0 - 5,0						BR0103008
	10	5,0 - 7,0						BR0103010
	12	7,0 - 9,0						BR0103012
	14	9,0 - 11,0						BR0103014
	16	11,0 - 13,0						BR0103016
	18	13,0 - 15,0						BR0103018
	20	15,0 - 17,0						BR0103020

d mm.	L mm.	 mm.	 mm.	D mm.	S mm.			Codice Code
3,2	6	1,5 - 3,0	ø 3,3	ø 6,3	1,0	1200	1100	BR0103206
	8	3,0 - 5,0						BR0103208
	10	5,0 - 7,0						BR0103210
	12	7,0 - 9,0						BR0103212
	14	9,0 - 11,0						BR0103214
	16	11,0 - 13,0						BR0103216
	18	13,0 - 15,0						BR0103218
	20	15,0 - 17,0						BR0103220

d mm.	L mm.	 mm.	 mm.	D mm.	S mm.			Codice Code
4,0	6	1,5 - 2,5	ø 4,1	8,0	1,3	2200	1700	BR0103806
	8	2,5 - 4,5						BR0103808
	10	4,5 - 6,5						BR0103810
	12	6,5 - 8,5						BR0103812
	14	8,5 - 10,5						BR0103814
	16	10,5 - 12,5						BR0103816
	18	12,5 - 14,0						BR0103818
	20	14,0 - 16,0						BR0103820
	22	16,0 - 18,0						BR0103822
	25	18,0 - 22,0						BR0103825
	30	22,0 - 27,0						BR0103830



Testa Tonda

Corpo: ACCIAIO
Mandrino: ACCIAIO




Dome Head

Body: STEEL
Mandrel: STEEL


Standard

BR010



Recommended tool

HERO 5.0



d mm.	L mm.	 E mm.	 mm.	D mm.	S mm.	 N	 N	Codice Code
4,8	6	1,0 - 2,5	ø 4,9	9,5	1,4	3100	2900	BR0104806
	8	2,5 - 4,0						BR0104808
	10	4,0 - 6,0						BR0104810
	12	6,0 - 8,0						BR0104812
	14	8,0 - 10,0						BR0104814
	16	10,0 - 11,5						BR0104816
	18	11,5 - 13,5						BR0104818
	20	13,5 - 15,0						BR0104820
	22	15,0 - 17,0						BR0104822
	25	17,0 - 20,0						BR0104825
	30	20,0 - 25,0						BR0104830
	35	25,0 - 30,0						BR0104835
	40	30,0 - 35,0						BR0104840
	45	35,0 - 39,0						BR0104845
	50	39,0 - 44,0						BR0104850

d mm.	L mm.	 E mm.	 mm.	D mm.	S mm.	 N	 N	Codice Code
5,0	10	4,0 - 6,0	ø 5,1	9,5	1,4	4000	3100	BR0105010
	12	6,0 - 8,0						BR0105012
	14	8,0 - 10,0						BR0105014
	16	10,0 - 11,5						BR0105016
	18	11,5 - 13,5						BR0105018
	20	13,5 - 15,0						BR0105020
	22	15,0 - 17,0						BR0105022
	25	17,0 - 20,0						BR0105025
	30	20,0 - 25,0						BR0105030
	35	25,0 - 30,0						BR0105035
	40	30,0 - 35,0						BR0105040
	45	35,0 - 39,0						BR0105045
	50	39,0 - 44,0						BR0105050

Standard
Standard

BR010




Testa Tonda

Corpo: ACCIAIO
Mandrino: ACCIAIO



Dome Head

Body: STEEL
Mandrel: STEEL



Recommended tool

HERO
6.0



d mm.	L mm.	 mm.	 mm.	D mm.	S mm.	 N	 N	Codice Code
6,0	8	1,5 - 3,0	ø 6,10	12,0	1,90	4800	4300	BR0105808
	10	2,5 - 4,5						BR0105810
	12	4,5 - 6,5						BR0105812
	15	6,5 - 9,5						BR0105815
	18	9,5 - 12,5						BR0105818
	20	11,5 - 13,5						BR0105820
	22	12,5 - 16,5						BR0105822
	26	16,0 - 19,0						BR0105826
	30	19,0 - 24,0						BR0105830

d mm.	L mm.	 mm.	 mm.	D mm.	S mm.	 N	 N	Codice Code
6,4	8	1,0 - 3,0	ø 6,50	13,0	2,20	5700	4900	BR0106408
	10	2,0 - 4,0						BR0106410
	12	4,0 - 6,0						BR0106412
	15	6,0 - 9,0						BR0106415
	18	9,0 - 12,0						BR0106418
	22	12,0 - 16,0						BR0106422
	26	16,0 - 20,0						BR0106426
	30	20,0 - 24,0						BR0106430

CODE: R1.0