



REMACHES
F A C T O R Y

JUST RIVET IT.

the Rivets Producer






**Welcome to Remaches Factory
...‘Where your success is our mission.’**

Our Production



Our production facility, located in Wuxi, spans 30,000 square meters and has a daily production capacity of 12 million pieces. We offer the most comprehensive range of standard and structural rivets tailored for the European market.

Our range



We are a world leader in the production of Blind Rivets, Threaded Inserts, and Riveting Tools. Our range of products is of the highest quality, Certified and guaranteed for consistency.

Our services



Our production and sales team delivers exclusively to European distributors. By joining our Full-Service System, you will have the possibility of:

- **placing orders 24/7**
- **choose the fastest delivery**
- **select the most competitive pricing tier**
- **participate to special offers and sales campaigns**

These services are exclusively dedicated to distributors.

INSERTI CILINDRICI RULLATI - GROOVED CYLINDRICAL RIVET NUTS

TH-LFKNS

ACCIAIO TESTA PIANA
STEEL FLAT HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M3	1°	0,5-1,5	BTH0301LFKNS
M4	1°	0,5-2,0	BTH0401LFKNS
M5	1°	0,5-2,5	BTH0501LFKNS
M6	1°	1,5-3,0	BTH0601LFKNS
M8	1°	1,5-3,0	BTH0801LFKNS
M10	1°	1,0-4,0	BTH1001LFKNS
M12	1°	1,5-4,0	BTH1201LFKNS

TH-CKKNS

ACCIAIO TESTA SVASATA
STEEL COUNTERSUNK HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	1,5-3,0	BTH0401CKKNS
M5	1°	1,5-3,5	BTH0501CKKNS
M6	1°	1,5-4,0	BTH0601CKKNS
M8	1°	1,5-4,0	BTH0801CKKNS
M10	1°	2,0-5,0	BTH1001CKKNS

TH-TSKNS

ACCIAIO TESTA RIDOTTA
STEEL REDUCED HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M3	1°	0,5-1,5	BTH0301TSKNS
M4	1°	0,5-2,0	BTH0401TSKNS
M5	1°	0,5-2,0	BTH0501TSKNS
M6	1°	0,5-2,5	BTH0601TSKNS
M8	1°	0,5-3,0	BTH0801TSKNS
M10	1°	1,5-3,0	BTH1001TSKNS
M12	1°	1,0-4,0	BTH1201TSKNS

INSERTI ESAGONALI - HEXAGONAL RIVET NUTS

TH-LFOHS

ACCIAIO TESTA PIANA
STEEL FLAT HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	0,5-2,0	BTH0401LFOHS
M5	1°	0,5-2,5	BTH0501LFOHS
M6	1°	0,5-3,0	BTH0601LFOHS
M8	1°	1,0-3,5	BTH0801LFOHS
M10	1°	1,0-3,5	BTH1001LFOHS

TH-TSOHS

ACCIAIO TESTA RIDOTTA
STEEL REDUCED HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	0,5-2,0	BTH0401TSOHS
M5	1°	1,0-3,0	BTH0501TSOHS
M6	1°	1,0-3,0	BTH0601TSOHS
M8	1°	1,0-3,5	BTH0801TSOHS
M10	1°	1,0-3,5	BTH1001TSOHS

INSERTI SEMI ESAGONALI - HALF HEXAGONAL RIVET NUTS

TH-LF2HS

ACCIAIO TESTA PIANA
STEEL FLAT HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	0,5-2,0	BTH0401LF2HS
M5	1°	0,5-2,5	BTH0501LF2HS
M6	1°	0,5-3,0	BTH0601LF2HS
M8	1°	1,0-3,5	BTH0801LF2HS
M10	1°	1,0-3,5	BTH1001LF2HS

TH-TS2HS

ACCIAIO TESTA RIDOTTA
STEEL REDUCED HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	0,5-2,0	BTH0401TS2HS
M5	1°	0,5-2,5	BTH0501TS2HS
M6	1°	1,0-3,0	BTH0601TS2HS
M8	1°	1,0-3,0	BTH0801TS2HS
M10	1°	1,0-4,0	BTH1001TS2HS

INSERTI CILINDRICI RULLATI - GROOVED CYLINDRICAL RIVET NUTS

TH-LFKNI2

INOX A2 TESTA PIANA
STAINLESS ST. A2 FLAT HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M3	1°	0,5-1,5	BTH0301LFKNI2
M4	1°	0,5-2,0	BTH0401LFKNI2
M5	1°	0,5-2,5	BTH0501LFKNI2
M6	1°	0,5-3,0	BTH0601LFKNI2
M8	1°	1,0-3,5	BTH0801LFKNI2
M10	1°	1,0-4,0	BTH1001LFKNI2

TH-CKKNI2

INOX A2 TESTA SVASATA
STAINLESS ST. A2 COUNTERSUNK HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	1,5-2,5	BTH0401CKKNI2
M5	1°	1,5-3,0	BTH0501CKKNI2
M6	1°	1,5-3,5	BTH0601CKKNI2
M8	1°	2,0-4,0	BTH0801CKKNI2
M10	1°	2,0-5,0	BTH1001CKKNI2

TH-TSKNI2

INOX A2 TESTA RIDOTTA
STAINLESS ST. A2 REDUCED HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M3	1°	0,5-1,5	BTH0301TSKNI2
M4	1°	0,5-2,0	BTH0401TSKNI2
M5	1°	0,5-2,0	BTH0501TSKNI2
M6	1°	0,5-2,5	BTH0601TSKNI2
M8	1°	0,5-3,0	BTH0801TSKNI2
M10	1°	1,0-3,5	BTH1001TSKNI2

INSERTI SEMI ESAGONALI - HALF HEXAGONAL RIVET NUTS

TH-LF2HI2

INOX A2 TESTA PIANA
STAINLESS ST. A2 FLAT HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	0,5-2,0	BTH0401LF2HI2
M5	1°	0,5-2,0	BTH0501LF2HI2
M6	1°	0,5-3,0	BTH0601LF2HI2
M8	1°	1,0-3,5	BTH0801LF2HI2
M10	1°	1,0-4,0	BTH1001LF2HI2

TH-TS2HI2

INOX A2 TESTA RIDOTTA
STAINLESS ST. A2 REDUCED HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M3	1°	0,5-1,5	BTH0301TS2HI2
M4	1°	0,5-2,0	BTH0401TS2HI2
M5	1°	0,5-2,5	BTH0501TS2HI2
M6	1°	1,0-3,0	BTH0601TS2HI2
M8	1°	1,0-3,5	BTH0801TS2HI2
M10	1°	1,0-3,5	BTH1001TS2HI2

INSERTI CILINDRICI RULLATI - GROOVED CYLINDRICAL RIVET NUTS

TR-LFKNS

ACCIAIO TESTA PIANA
STEEL FLAT HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M3	1°	0,5 - 3,0	BTR03100LFKNS
M4	1°	0,5 - 3,0	BTR04100LFKNS
	2°	2,0 - 4,0	BTR04120LFKNS
M5	1°	0,5 - 3,0	BTR05120LFKNS
	2°	3,0 - 6,0	BTR05150LFKNS
M6	1°	0,5 - 3,0	BTR06145LFKNS
	2°	3,0 - 6,0	BTR06175LFKNS
M8	1°	0,5 - 2,0	BTR08160LFKNS
	2°	1,0 - 3,0	BTR08175LFKNS
	3°	3,0 - 5,5	BTR08190LFKNS
M10	1°	1,0 - 3,5	BTR10170LFKNS
	2°	4,0 - 6,0	BTR10220LFKNS
M12	1°	1,0 - 4,0	BTR12230LFKNS
	2°	3,0 - 6,0	BTR12260LFKNS

TR-CKKNS

ACCIAIO TESTA SVASATA
STEEL COUNTERSUNK HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	1,5 - 4,0	BTR04115CKKNS
M5	1°	1,5 - 4,0	BTR05135CKKNS
M6	1°	1,5 - 4,5	BTR06160CKKNS
M8	1°	1,5 - 4,5	BTR08190CKKNS
M10	1°	1,5 - 4,5	BTR10210CKKNS

TR-TSKNS

ACCIAIO TESTA RIDOTTA
STEEL REDUCED HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M3	1°	0,5 - 3,0	BTR03090TSKNS
M4	1°	0,5 - 3,0	BTR04100TSKNS
M5	1°	0,5 - 3,0	BTR05115TSKNS
M6	1°	0,5 - 3,0	BTR06140TSKNS
	2°	3,0 - 4,5	BTR06160TSKNS
M8	1°	0,5 - 3,0	BTR08155TSKNS
	2°	3,0 - 4,5	BTR08175TSKNS
M10	1°	0,5 - 3,5	BTR10195TSKNS
	2°	3,5 - 6,0	BTR10215TSKNS
M12	1°	1,0 - 4,0	BTR12240TSKNS

INSERTI ESAGONALI - HEXAGONAL RIVET NUTS

TR-LFOHS

ACCIAIO TESTA PIANA
STEEL FLAT HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	0,5 - 3,0	BTR04115LFOHS
M5	1°	0,5 - 3,0	BTR05135LFOHS
M6	1°	0,5 - 3,0	BTR06155LFOHS
	2°	3,0 - 5,5	BTR06190LFOHS
M8	1°	0,5 - 3,0	BTR08175LFOHS
	2°	3,0 - 5,5	BTR08210LFOHS
M10	1°	1,0 - 4,0	BTR10220LFOHS
	2°	3,0 - 6,0	BTR10260LFOHS

TR-TSOHS

ACCIAIO TESTA RIDOTTA
STEEL REDUCED HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	0,5 - 3,0	BTR04120TSOHS
M5	1°	0,5 - 3,0	BTR05135TSOHS
M6	1°	0,5 - 3,0	BTR06160TSOHS
	2°	4,0 - 6,0	BTR06185TSOHS
M8	1°	0,5 - 3,0	BTR08180TSOHS
	2°	4,0 - 6,0	BTR08205TSOHS
M10	1°	1,0 - 4,0	BTR10220TSOHS
	2°	3,0 - 6,0	BTR10245TSOHS

INSERTI SEMI ESAGONALI - HALF HEXAGONAL RIVET NUTS

TR-LF2HS

ACCIAIO TESTA PIANA
STEEL FLAT HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	0,5 - 3,0	BTR04115LF2HS
M5	1°	0,5 - 3,0	BTR05135LF2HS
M6	1°	0,5 - 3,0	BTR06155LF2HS
M8	1°	0,5 - 3,0	BTR08175LF2HS
M10	1°	1,0 - 4,0	BTR10220LF2HS

TR-TS2HS

ACCIAIO TESTA RIDOTTA
STEEL REDUCED HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	0,5 - 3,0	BTR04120TS2HS
M5	1°	0,5 - 3,0	BTR05140TS2HS
M6	1°	0,5 - 3,0	BTR06155TS2HS
M8	1°	0,5 - 3,0	BTR08170TS2HS
M10	1°	1,0 - 4,0	BTR10205TS2HS

WIDE TYPE CLOSED END - Acciaio / Steel

INSERTI CILINDRICI RULLATI - GROOVED CYLINDRICAL RIVET NUTS

TR-LFKNS-C

ACCIAIO TESTA PIANA
STEEL FLAT HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1*	0,5 - 3,0	BTR04165LFKNS-C
M5	1*	0,5 - 3,0	BTR05190LFKNS-C
M6	1*	0,5 - 3,0	BTR06220LFKNS-C
M8	1*	0,5 - 3,0	BTR08265LFKNS-C
M10	1*	1,0 - 3,5	BTR10370LFKNS-C

TR-CKKNS-C

ACCIAIO TESTA SVASATA
STEEL COUNTERSUNK HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1*	1,5 - 3,5	BTR04175CKKNS-C
M5	1*	1,5 - 4,0	BTR05205CKKNS-C
M6	1*	1,5 - 4,5	BTR06235CKKNS-C
M8	1*	1,5 - 4,5	BTR08280CKKNS-C
M10	1*	1,5 - 4,5	BTR10360CKKNS-C

TR-TSKNS-C

ACCIAIO TESTA RIDOTTA
STEEL REDUCED HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1*	0,5 - 3,0	BTR04160TSKNS-C
M5	1*	0,5 - 3,0	BTR05190TSKNS-C
M6	1*	0,5 - 3,0	BTR06225TSKNS-C
M8	1*	0,5 - 3,0	BTR08250TSKNS-C
M10	1*	0,5 - 3,5	BTR10350TSKNS-C

INSERTI ESAGONALI - HEXAGONAL RIVET NUTS

TR-LFOHS-C

ACCIAIO TESTA PIANA
STEEL FLAT HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1*	0,5 - 3,0	BTR04150LFOHS-C
M5	1*	0,5 - 3,0	BTR05200LFOHS-C
M6	1*	0,5 - 3,0	BTR06230LFOHS-C
M8	1*	0,5 - 3,0	BTR08260LFOHS-C
M10	1*	1,0 - 4,0	BTR10330LFOHS-C

TR-TSOHS-C

ACCIAIO TESTA RIDOTTA
STEEL REDUCED HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1*	0,5 - 3,0	BTR04160TSOHS-C
M5	1*	0,5 - 3,0	BTR05200TSOHS-C
M6	1*	0,5 - 3,0	BTR06205TSOHS-C
M8	1*	0,5 - 3,0	BTR08230TSOHS-C
M10	1*	1,0 - 4,0	BTR10285TSOHS-C

INSERTI SEMI ESAGONALI - HALF HEXAGONAL RIVET NUTS

TR-LF2HS-C

ACCIAIO TESTA PIANA
STEEL FLAT HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	0,5 - 3,0	BTR04160LF2HS-C
M5	1°	0,5 - 3,0	BTR05190LF2HS-C
M6	1°	0,5 - 3,0	BTR06215LF2HS-C
M8	1°	0,5 - 3,0	BTR08250LF2HS-C
M10	1°	1,0 - 4,0	BTR10355LF2HS-C

TR-TS2HS-C

ACCIAIO TESTA RIDOTTA
STEEL REDUCED HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	0,5 - 3,0	BTR04165TS2HS-C
M5	1°	0,5 - 3,0	BTR05195TS2HS-C
M6	1°	0,5 - 3,0	BTR06225TS2HS-C
M8	1°	0,5 - 3,0	BTR08255TS2HS-C
M10	1°	1,0 - 4,0	BTR10355TS2HS-C



WIDE TYPE - INOX A2

INSERTI CILINDRICI RULLATI - GROOVED CYLINDRICAL RIVET NUTS

TR-LFKNI2

INOX A2 TESTA PIANA
STAINLESS ST. A2 FLAT HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M3	1°	0,5 - 3,0	BTR03100LFKNI2
M4	1°	0,5 - 3,0	BTR04100LFKNI2
	2°	3,0 - 4,0	BTR04120LFKNI2
M5	1°	0,5 - 3,0	BTR05120LFKNI2
	2°	3,0 - 6,0	BTR05150LFKNI2
M6	1°	0,5 - 3,0	BTR06145LFKNI2
	2°	3,0 - 6,0	BTR06177LFKNI2
M8	1°	0,5 - 3,0	BTR08160LFKNI2
	2°	3,0 - 6,0	BTR08190LFKNI2
M10	1°	0,5 - 3,0	BTR10170LFKNI2
	2°	3,0 - 6,5	BTR10220LFKNI2
M12	1°	1,0 - 4,0	BTR12250LFKNI2

TR-CKKNI2

INOX A2 TESTA SVASATA
STAINLESS ST. A2 COUNTERSUNK HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	1,5 - 3,5	BTR04115CKKNI2
M5	1°	1,5 - 4,0	BTR05135CKKNI2
M6	1°	1,5 - 4,5	BTR06160CKKNI2
M8	1°	2,0 - 4,5	BTR08190CKKNI2
M10	1°	2,0 - 5,0	BTR10210CKKNI2

TR-TSKNI2

INOX A2 TESTA RIDOTTA
STAINLESS ST. A2 REDUCED HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M3	1°	0,5 - 2,0	BTR03090TSKNI2
M4	1°	0,5 - 3,0	BTR04100TSKNI2
	2°	3,0 - 4,0	BTR04125TSKNI2
M5	1°	0,5 - 3,0	BTR05115TSKNI2
	2°	3,0 - 4,0	BTR05130TSKNI2
M6	1°	0,5 - 3,0	BTR06140TSKNI2
	2°	3,0 - 5,0	BTR06175TSKNI2
M8	1°	0,5 - 3,0	BTR08155TSKNI2
	2°	3,0 - 5,0	BTR08195TSKNI2
M10	1°	1,0 - 3,5	BTR10195TSKNI2
	2°	3,0 - 6,0	BTR10230TSKNI2

INSERTI SEMI ESAGONALI - HALF HEXAGONAL RIVET NUTS

TR-LF2HI2

INOX A2 TESTA PIANA
STAINLESS ST. A2 FLAT HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	0,5 - 3,0	BTR04115LF2HI2
M5	1°	0,5 - 2,5	BTR05135LF2HI2
M6	1°	0,5 - 3,0	BTR06155LF2HI2
M8	1°	1,0 - 3,5	BTR08175LF2HI2
M10	1°	1,0 - 4,0	BTR10220LF2HI2

TR-TS2HI2

INOX A2 TESTA RIDOTTA
STAINLESS ST. A2 REDUCED HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	0,5 - 3,0	BTR04120TS2HI2
M5	1°	0,5 - 3,0	BTR05140TS2HI2
M6	1°	0,5 - 3,0	BTR06155TS2HI2
M8	1°	0,5 - 3,0	BTR08170TS2HI2
M10	1°	1,0 - 4,0	BTR10205TS2HI2

INSERTI CILINDRICI RULLATI - GROOVED CYLINDRICAL RIVET NUTS

TR-LFKNI2-C

INOX A2 TESTA PIANA
STAINLESS ST. A2 FLAT HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	0,5 - 3,0	BTR04165LFKNI2-C
M5	1°	0,5 - 3,0	BTR05190LFKNI2-C
M6	1°	0,5 - 3,0	BTR06220LFKNI2-C
M8	1°	0,5 - 3,0	BTR08265LFKNI2-C
M10	1°	1,0 - 3,5	BTR10370LFKNI2-C

TR-CKKNI2-C

INOX A2 TESTA SVASATA
STAINLESS ST. A2 COUNTERSUNK HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	1,5 - 3,5	BTR04175CKKNI2-C
M5	1°	1,5 - 4,0	BTR05175CKKNI2-C
M6	1°	1,5 - 4,5	BTR06235CKKNI2-C
M8	1°	1,5 - 4,5	BTR08280CKKNI2-C
M10	1°	1,5 - 4,5	BTR10360CKKNI2-C

TR-TSKNI2-C

INOX A2 TESTA RIDOTTA
STAINLESS ST. A2 REDUCED HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	0,5 - 3,0	BTR04160TSKNI2-C
M5	1°	0,5 - 3,0	BTR05190TSKNI2-C
M6	1°	0,5 - 3,0	BTR06225TSKNI2-C
M8	1°	0,5 - 3,0	BTR08255TSKNI2-C
M10	1°	1,0 - 3,5	BTR10350TSKNI2-C

INSERTI SEMI ESAGONALI - HALF HEXAGONAL RIVET NUTS

TR-LF2HI2-C

INOX A2 TESTA PIANA
STAINLESS ST. A2 FLAT HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	0,5 - 3,0	BTR04160LF2HI2-C
M5	1°	0,5 - 3,0	BTR05190LF2HI2-C
M6	1°	0,5 - 3,0	BTR06215LF2HI2-C
M8	1°	0,5 - 3,0	BTR08250LF2HI2-C
M10	1°	1,0 - 4,0	BTR10350LF2HI2-C

TR-TS2HI2-C

INOX A2 TESTA RIDOTTA
STAINLESS ST. A2 REDUCED HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	0,5 - 3,0	BTR04165TS2HI2-C
M5	1°	0,5 - 3,0	BTR05195TS2HI2-C
M6	1°	0,5 - 3,0	BTR06255TS2HI2-C
M8	1°	0,5 - 3,0	BTR08255TS2HI2-C
M10	1°	1,0 - 4,0	BTR10355TS2HI2-C

INSERTI CILINDRICI RULLATI - GROOVED CYLINDRICAL RIVET NUTS

TR-LFKNI4

INOX A4 TESTA PIANA
STAINLESS ST. A4 FLAT HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	0,5 - 3,0	BTR04100LFKNI4
M5	1°	0,5 - 3,0	BTR05120LFKNI4
M6	1°	0,5 - 3,0	BTR06145LFKNI4
M8	1°	0,5 - 3,0	BTR08160LFKNI4

TR-TSKNI4

INOX A2 TESTA RIDOTTA
STAINLESS ST. A2 REDUCED HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	0,5 - 3,0	BTR04100TSKNI4
M5	1°	0,5 - 3,0	BTR05115TSKNI4
M6	1°	0,5 - 3,0	BTR06140TSKNI4
M8	1°	0,5 - 3,0	BTR08155TSKNI4



INSERTI CILINDRICI RULLATI - GROOVED CYLINDRICAL RIVET NUTS

TR-LFKNAL

ALLUMINIO TESTA PIANA
ALUMINIUM FLAT HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M3	1	0,5 - 3,0	BTR03100LFKNAL
M4	1	0,5 - 3,0	BTR04100LFKNAL
	2	2,0 - 4,0	BTR04120LFKNAL
M5	1	0,5 - 3,0	BTR05120LFKNAL
	2	3,0 - 6,0	BTR05150LFKNAL
M6	1	0,5 - 3,0	BTR06145LFKNAL
	2	3,0 - 6,0	BTR06175LFKNAL
M8	1	0,5 - 3,0	BTR08160LFKNAL
	2	3,0 - 5,5	BTR08190LFKNAL
M10	1	1,0 - 3,5	BTR10170LFKNAL
	2	4,0 - 6,5	BTR10220LFKNAL
M12	1	1,0 - 4,0	BTR12230LFKNAL

TR-CKKNAL

AALLUMINIO TESTA SVASATA
ALUMINIUM COUNTERSUNK HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	1,5 - 3,5	BTR04115CKKNAL
M5	1°	1,5 - 4,0	BTR05135CKKNAL
M6	1°	1,5 - 4,5	BTR06160CKKNAL
M8	1°	1,5 - 4,5	BTR08190CKKNAL
M10	1°	1,5 - 4,5	BTR10210CKKNAL

TR-TSKNAL

ALLUMINIO TESTA RIDOTTA
ALUMINIUM REDUCED HEAD



M	GRIP	GRIP RANGE	CODICE / CODE
M4	1°	0,5 - 3,0	BTR04100TSKNAL
M5	1°	0,5 - 3,0	BTR05115TSKNAL
M6	1°	0,5 - 3,0	BTR06140TSKNAL
M8	1°	0,5 - 3,0	BTR08155TSKNAL
M10	1°	0,5 - 3,5	BTR10195TSKNAL

RIVETTATRICI per l'installazione - recommended RIVETING TOOLS



IERO 8.0 M3-M8

Alluminio - Acciaio - Inox

- Corsa: 8mm
- Forza: 22500N
- Batteria: 2.0 Ah / 18V Li-ion
- Peso: 2,37kgs

Aluminium - Steel - Stainless Steel

- Stroke: 8mm
- Traction power: 22500N
- Battery: 2.0 Ah / 18V Li-ion
- Weight: 2,37kgs



MAG 10 M3-M10

Alluminio - Acciaio - Inox

- Corsa: 7mm
- Forza: 29400N
- Peso: 2,10kgs

Aluminium - Steel - Stainless Steel

- Stroke: 7mm
- Traction power: 29400N
- Weight: 2,10kgs



URM10 M3-M10

URM 10 Rivettatrice manuale

Alluminio - Acciaio - Inox - Inox A2

- Lunghezza: 485mm
- Capacità Rivetti: M3,0-M10
- Materiale: Alluminio/Acciaio
- Peso: 2,2 kgs
- Materiale del corpo: Tubo di acciaio
- Materiale impugnatura: Plastica ABS

URM 10 Hand Tool for rivets

Aluminium - Steel - Stainless Steel - Inox A2

- Length: 426 mm
- Capacity Rivets: Ø3,0mm-Ø6,4mm
- Material: Alluminio/Acciaio
- Weight: 2,2 kgs
- Body material: Steel tube
- Handle material: Plastic ABS

Some of your advantages

Our solutions



- Quick delivery
- Tiered pricing
- Stock planning
- Stock level control
- Replenishing your out-of-stock items
- Excellent and consistent quality
- Purchase Platform H 24

Customized products



Our service includes customization of :

- Boxes
- Labels
- Pneumatic and Battery tools.

"Bring your brand to market with us!"

Our certifications



Our productions is endorsed by the most important certification, among other:

- ISO 9001-EN 9100
- IATF 16949
- ISO 14001
- REACH
- ROHS

These services are exclusively dedicated to distributors.



Remaches Factory s.r.l.
via Galilei, 12
64013 Corropoli (TE) Italy
tel. +39 0861 17 800 57
info@remachesfactory.com
www.remachesfactory.com